

Announcements

Announcements

Extra Credit Option:

Thursday Extra: on Thursdays (or virtual Thursdays)

Refreshments: @4:00 in CS Commons

Talk: @4:15 IN Science 3821

This week: Prof Weinman: “Summer Opportunities in CS?”

Lab partners assigned each Sunday, early afternoon

email me by Sunday noon if you prefer NOT to work with someone

New partners announced Mondays at start of lab time

Control structures lab

Update on submission logistics

Topics

Today: introduction to classes, auto[un]boxing, inheritance

Wednesday: introduction to exceptions

Class/object basics, 1

Look at handout for *MyInteger.java*

What is printed by the first println statement?

- A. Does not compile B. A: 0 C. Output cannot be determined D. something else**

What is printed by the second println statement?

- A. B: 2 B. B: 5 C. B: 7 D: Something else**

What is printed by the third println statement?

- A. C: 0 B. C: 2 C. C: 4 D. C: 11 E. Something else**

What is printed by the fourth println statement?

- A. D: 5 B. D: 11 C. D: 16 D. D: 22 E. Something else**

What is printed by the last println statement?

- A. E: 5 B. E: 7 C. E: 11 D. E: 16 E. Something else**

Class/object basics, 1

Look at AutoBox.java What happens when this code is compiled?

Options:

1. Code compiles and produces a runnable program
2. Compiler generates warning: "new Integer (7)" is deprecated

A. nor 1 or 2 B. 1, not 2 C. 2, not 1 D. both 1 & 2

After resolving the compile error(s), if any, what is printed?

- | | | | |
|----|----------------|---------|-----------|
| A. | 1: one: 7 | two: 12 | three: 12 |
| | 2: one: 7 | two: 12 | three: 12 |
| B. | 1: one: 7 | two: 12 | three: 12 |
| | 2: one: 7 | two: 12 | three: 17 |
| C. | 1: one: 7 | two: 12 | three: 17 |
| | 2: one: 7 | two: 17 | three: 12 |
| D. | 1: one: 7 | two: 12 | three: 12 |
| | 2: one: 7 | two: 17 | three: 17 |
| E. | something else | | |

Inheritance: A School Directory Example