

Quiz

Announcements

Thursday Extras: 4:00 in CS Commons; 4:15 talk in Science 3821

Office hours:

 canceled for rest of this week (Wed.-Fri.)

 available Sunday 2:00 pm - 4:00 pm

Mentor sessions Tues. 6-7 and 7-8 (pm) Commons

Functions, address parameters, and run-time stack

Questions?

Clicker questions

Today's lab on addr. param, run-time stack due next Wed.

Friday's class devoted to lab time

Suppose variable a (in main) is stored in location 100, and suppose variable r (in proc) is stored in location 200.

What is printed by the following program?

```
#include <stdio.h>
void proc (int r)
{
    r = 5;
    printf ("r: %u, &r: %u\n",
           r, (unsigned int) &r);
}
int main()
{
    int a = 4;
    proc (a);
    printf("a: %u, &a: %u\n",
          a, (unsigned int) &a);
    return 0;
}
```

- A. r: 5, &r: 100
a: 4, &a: 100
- B. r: 5, &r: 200
a: 4, &a: 100
- C. r: 5, &r: 100
a: 5, &a: 200
- D. r: 5, &r: 200
a: 5, &a: 200
- E. None of the above

Suppose variable b (in main) is stored in location 104, and suppose variable s (in proc) is stored in location 204. What is printed by the following program?

```
#include <stdio.h>
void proc (int * s)
{
    printf ("s: %u, &s: %u, *s: %u\n",
            (unsigned int) s,
            (unsigned int) &s,*s);
    *s = 17;
    printf ("s: %u, &s: %u, *s: %u\n",
            (unsigned int) s,
            (unsigned int) &s,*s);
}
int main()
{
    int b = 12;
    proc (&b);
    return 0;
}
```

- A. s: 12, &s: 204, *s: 12
s: 17, &s: 204, *s: 17
- B. s: 12, &s: 204, *s: 17
s: 17, &s: 104, *s: 17
- C. s: 104, &s: 204, *s: 12
s: 17, &s: 204, *s: 17
- D. s: 104, &s: 204, *s: 17
s: 17, &s: 104, *s: 17
- E. None of the above

Suppose variable `b` (in `main`) is stored in location 104, and suppose variable `s` (in `proc`) is stored in location 204. What is printed by the following program?

```
#include <stdio.h>
void proc (int * s)
{
    *s = 17;
}
int main()
{
    int b = 12;
    proc (&b);
    printf("b: %u, &b: %u\n",
           b, (unsigned int) &b);
    return 0;
}
```

- A. `b: 12, &b: 104`
- B. `b: 12, &b: 204`
- C. `b: 17, &b: 104`
- D. `b: 17, &b: 204`
- E. None of the above